ELSEVIER

Talanta 52 (2000) 1181–1189

Talanta

www.elsevier.com/locate/talanta

Volume Contents

Volume 52 (2000)

No. 1 **May 2000**

Special Issue: A Collection of Papers Presented at the 10th International Conference on Flow Injection Analysis, Prague, Czech Republic, 20–25 June 1999.

Editorial

10th International Conference On Flow Injection Analysis (ICFIA'99)
M. Polášek and P. Solich (Hradec Kralove, Czech Republic) 1

Regular papers

Evaluation of different SIA sample–buffer configurations using a fluoride-selective membrane electrode as detector
J.K.F. van Staden, R.-I. Stefan and S. Birghila (Pretoria, South Africa) 3

Potentiometric determination of dialysate urea nitrogen
R. Koncki, A. Radomska and S. Głąb (Warsaw, Poland) 13

Potentiometric flow injection analysis of concentrated hydrogen peroxide by using an Fe(II)–Fe(III) redox potential buffer solution
T. Imato, H. Ohura, S. Yamasaki (Fukuoka, Japan) and Y. Asano (Omuta, Japan) 19

Determination of beryllium in natural and waste waters using on-line flow-injection preconcentration by precipitation/dissolution for electrothermal atomic absorption spectrometry
J.L. Burguera, M. Burguera, C. Rondón, P. Carrero, M.R. Brunetto and Y. Petit de Peña (Mérida, Venezuela) 27

FIA-FAAS system including on-line solid phase extraction for the determination of palladium, platinum and rhodium in alloys and ores
I.A. Kovalev, L.V. Bogacheva, G.I. Tsysin, A.A. Formanovsky and Y.A. Zolotov (Moscow, Russian Federation) 39

Flow system device for the on-line determination of total mercury in seawater
O. Wurl, O. Elsholz (Hamburg, Germany) and R. Ebinghaus (Geesthacht, Germany) 51

Sequential injection system for the spectrophotometric determination of reducing sugars in wines
A.N. Araújo, J.L.F.C. Lima, A.O.S.S. Rangel and M.A. Segundo (Porto, Portugal) 59

Determination of procaine, benzocaine and tetracaine by sequential injection analysis with permanganate-induced chemiluminescence detection
H. Paseková and M. Polášek (Heyrovskeho, Czech Republic) 67

Fluorimetric sequential injection determination of magnesium using 8-hydroxiquinoline-5-sulfonic acid in a micellar medium
G. de Armas (Havana, Cuba), A. Cladera (Balearic Islands, Spain), E. Becerra (Havana, Cuba), J.M. Estela and V. Cerdà (Balearic Islands, Spain) 77

Determination of sulphuric acid in process effluent streams using sequential injection titration
H. du Plessis and J.F. van Staden (Pretoria, South Africa) 83

Titration of strong and weak acids by sequential injection analysis technique
S. Maskula, J. Nyman and A. Ivaska (Turku-Åbo, Finland) 91

Determination of water traces in various organic solvents using Karl Fischer method under FIA conditions
N. Dantan, W. Frenzel and S. Küppers (Berlin, Germany) 101
Non-extraction batchwise and FIA determination of cationic and nonionic surfactants using Cu(II)–chromazurol S–surfactant complexes
I. Němcová, V. Tománková and P. Rychlovský (Prague, Czech Republic) 111
The properties of chromatomembrane cells in flow systems coupled to gas chromatography — analysis of volatile organic compounds
C. Bloch, J. Simon (Berlin, Germany), L.N. Moskvin and O.V. Rodinkov (St. Petersburg, Russia). . 123
Development of an automated on-line analysis system using flow injection, ultrasound filtration and CCD detection
R.Y. Wang, J.A. Jarratt, P.J. Keay (Luton, UK), J.J. Hawkes and W.T. Coakley (Cardiff, UK) . . . 129
Determination of antibacterial reagents by liquid chromatography-electrospray-mass spectrometry
M.-R.S. Fuh, S.-A. Chan, H.-L. Wang and C.-Y. Lin (Taipei, Taiwan, ROC) 141
New spectrophotometer equipped with long light path length cells and two channel FIA for trace metals
T. Sakai (Toyota, Japan), A. Yanagisawa, K. Higuchi (Tokyo, Japan), N. Teshima (Toyota, Japan) and N. Ura (Tokyo, Japan) 153
Flow injection determination of iron by its catalytic effect on the oxidation of 3,3′,5,5′-tetramethylbenzidine by hydrogen peroxide
A. Tsuji (Tsukuba, Japan), N. Teshima (Toyota, Japan), M. Kurihara (Tsukuba, Japan), S. Nakano (Tottori, Japan) and T. Kawashima (Tsukuba, Japan) 161

No. 2 **June 2000**

Publisher's Note 167

Regular papers
Study of the degradation products of bromopropylate, chlordimeform, coumaphos, cymiazole, flumethrin and tau-fluvalinate in aqueous media
E. Corta, A. Bakkali, A. Barranco, L.A. Berrueta, B. Gallo, F. Vicente (Bilbao, Spain) and S. Bogdanov (Liebefeld, Switzerland) 169
Atomic absorption spectrometric determination of ultra trace amounts of zinc after preconcentration with the ion pair of 2-(5-bromo-2-pyridylazo)-5-diethylaminophenol and ammonium tetraphenylborate on microcrystalline naphthalene or by column method
M.A. Taher (Kerman, Iran) 181
Thermogravimetric analysis — a powerful tool for the refinement of the synthesis process of Hg-based superconductors
S. Tautkus, R. Kazlauskas and A. Kareiva (Vilnius, Lithuania) 189
Determination of gentamycin by synchronous derivative fluorimetry
H.Y. Wang, L.D. Liu, Y. Sun, L. Ma and J. Li (Jinan, People's Republic of China). 201
Selective determination of orthophosphate and total inorganic phosphates in detergents by flow injection photometric method
L. Jing-fu and J. Gui-bin (Beijing, People's Republic of China) 211
Synthesis of spherical macroporous epoxy-dicyandiamide chelating resin and properties of concentration and separation of trace metal ions from samples
B. Gong, X. Li, F. Wang (Yinchuan, P.R. China) and X. Chang (Lanzhou, P.R. China) 217
Study on partition equilibria of metal complexes in non-ionic micellar solutions from spectrophotometric data
R. Codony, M.D. Prat and J.L. Beltrán (Barcelona, Spain). 225
A novel approach to study the inclusion mechanism of imidazole derivatives in micellar chromatography
Y.C. Guillaume (Besançon, France), E. Peyrin, A. Ravel, A. Villet, C. Grosset (La Tronche, France) and J. Millet (Besançon, France) 233
Electrochemical study of antioxidants at a polypyrrole electrode modified by a nickel phthalocyanine complex. Application to their HPLC separation and to their FIA system detections
J. Riber, C. de la Fuente, M.D. Vazquez, M.L. Tascón and P. Sánchez Batanero (Valladolid, Spain) 241
Gas chromatography/sniffing port analysis of aroma compounds released under mouth conditions
S.M. van Ruth (Cork, Ireland) and J.P. Roozen (Wageningen, The Netherlands) 253

Spectrofluorimetric determination of diclofenac in the presence of α-cyclodextrin
J.A. Arancibia, M.A. Boldrini and G.M. Escandar (Rosario, Argentina) 261
Interferences in a polypyrrole-based amperometric ammonia sensor
I. Lähdesmäki (Turku-Åbo, Finland), W.W. Kubiak (Cracow, Poland), A. Lewenstam and A. Ivaska (Turku-Åbo, Finland) 269
Determination of electroinactive organic acids with LC and amperometric detection, using a PPy coated electrode.
E. Staes and L.J. Nagels (Antwerp, Belgium) 277
Microscale extraction of perchlorate in drinking water with low level detection by electrospray-mass spectrometry
M.L. Magnuson, E.T. Urbansky and C.A. Kelty (Cincinnati, OH, USA) 285
Zinc analysis in human skin by laser induced-breakdown spectroscopy
Q. Sun, M. Tran, B.W. Smith and J.D. Winefordner (Gainesville, FL, USA) 293
Differential pulse polarography determination of indium after column preconcentration with [1-(2-pyridylazo)-2-naphthol]naphthalene adsorbent or its complex on microcrystalline naphthalene
M.A. Taher (Kerman, Iran) 301
A rapid and sensitive 384-microtiter wells format chemiluminescent enzyme immunoassay for clenbuterol
A. Roda, A.C. Manetta, F. Piazza, P. Simoni (Bologna, Italy) and R. Lelli (Teramo, Italy) 311
Polypyrrole–calcion film as a membrane and solid-contact in an indicator electrode for potentiometric titrations
T. Blaz, J. Migdalski and A. Lewenstam (Cracow, Poland) 319
Standardization of a multivariate calibration model applied to the determination of chromium in tanning sewage
F. Sales (Tarragona, Spain), A. Rius (Igualada, Spain), M.P. Callao and F.X. Rius (Tarragona, Spain) 329

Short communication
Sources of error in β-correction spectrophotometry
T. Michałowski, A. Baterowicz and A. Wójtowicz (Kraków, Poland) 337
Capillary electrophoretic determination of zinc dimethyldithiocarbamate (Ziram) and zinc ethylenebisdithiocarbamate (Zineb)
A. Kumar Malik and W. Faubel (Karlsruhe, Germany) 341

*Book rev*iews
Colloid–Polymer Interactions — From Fundamentals to Practice, Edited by R.S. Farinato and P.L. Dubin, Wiley-Interscience, New York, 1999, x + 417 pp. £74.50. ISBN 0-471-24316-7.
J.R. MacCallum (Fife, UK) 347
Foundations of Physical Chemistry — Worked Examples by N. Lawrence, J. Wadhawan and R. Compton, Oxford University Press, Oxford, 1996. ISBN 0-19-850462-4; £9.99
P.J. Cox (Aberdeen, UK) 349
Handbook of Reagents for Organic Synthesis, Wiley, Chichester, 1999, £195
M.F. Ward (Aberdeen, UK) 351
Analytic Methods in Physics by C. Harper. Wiley-VCH, Berlin, 1999. 439 pp. ISBN 3-527-40216-0; £45.00
K. Andersson (Glasgow, UK) 353
Bioorganic Chemistry — Highlights and New Aspects by U. Diederichsen, T.K. Lindhorst, Edited by B. Westermann and L.A Wessjohann, Wiley-VCH, Weinheim, 1999. xxvii + 439 pp. ISBN 3-527-29665-4; £50.00
M. Jaspars (Aberdeen, UK) 355
Introduction to Fluorescence Spectroscopy by A. Shanna and S.G. Schulman. Wiley, New York, 1999. xiv + 173 pp. ISBN 0-471-11098-1; £38.95
R.R. Moody (Aberdeen, UK) 357
Electrothermal Atomization for Analytical Atomic Spectroscopy, Edited by K.M. Jackson, Wiley, Chichester, 1999. xiii + 470 pp. ISBN 0-471-97425-0; £110.00
R.R. Moody (Aberdeen, UK) 359
NMR Spectroscopy in Drug Development and Analysis by U. Holzgrabe, I. Wawer and B. Dielil. Wiley-VCH, Weinheim, 1999. xi + 299 pp. ISBN 3527300929; £55.00
S.D. Sarker (Aberdeen, UK) 361

Announcement
European Analytical Column 28. 363

Calendar of forthcoming meetings N6

No. 3 **June 2000**

Special Issue: A Collection of Papers Presented at the 10th International Conference on Flow Injection Analysis, Prague, Czech Republic, 20–25 June 1999.

Editorial
10th International Conference On Flow Injection Analysis (ICFIA'99)
M. Polášek and P. Solich (Hradec Kralove, Czech Republic) 1

Regular papers
Evaluation of different SIA sample–buffer configurations using a fluoride-selective membrane electrode as detector
J.K.F. van Staden, R.-I. Stefan and S. Birghila (Pretoria, South Africa) 3
Potentiometric determination of dialysate urea nitrogen
R. Koncki, A. Radomska and S. Głąb (Warsaw, Poland). 13
Potentiometric flow injection analysis of concentrated hydrogen peroxide by using an Fe(II)–Fe(III) redox potential buffer solution
T. Imato, H. Ohura, S. Yamasaki (Fukuoka, Japan) and Y. Asano (Omuta, Japan) 19
Determination of beryllium in natural and waste waters using on-line flow-injection preconcentration by precipitation/dissolution for electrothermal atomic absorption spectrometry
J.L. Burguera, M. Burguera, C. Rondón, P. Carrero, M.R. Brunetto and Y. Petit de Peña (Mérida, Venezuela) 27
FIA-FAAS system including on-line solid phase extraction for the determination of palladium, platinum and rhodium in alloys and ores
I.A. Kovalev, L.V. Bogacheva, G.I. Tsysin, A.A. Formanovsky and Y.A. Zolotov (Moscow, Russian Federation) 39
Flow system device for the on-line determination of total mercury in seawater
O. Wurl, O. Elsholz (Hamburg, Germany) and R. Ebinghaus (Geesthacht, Germany) 51
Sequential injection system for the spectrophotometric determination of reducing sugars in wines
A.N. Araújo, J.L.F.C. Lima, A.O.S.S. Rangel and M.A. Segundo (Porto, Portugal) 59
Determination of procaine, benzocaine and tetracaine by sequential injection analysis with permanganate-induced chemiluminescence detection
H. Paseková and M. Polášek (Heyrovskeho, Czech Republic) 67
Fluorimetric sequential injection determination of magnesium using 8-hydroxiquinoline-5-sulfonic acid in a micellar medium
G. de Armas (Havana, Cuba), A. Cladera (Balearic Islands, Spain), E. Becerra (Havana, Cuba), J.M. Estela and V. Cerdà (Balearic Islands, Spain) 77
Determination of sulphuric acid in process effluent streams using sequential injection titration
H. du Plessis and J.F. van Staden (Pretoria, South Africa) 83
Titration of strong and weak acids by sequential injection analysis technique
S. Maskula, J. Nyman and A. Ivaska (Turku-Åbo, Finland) 91
Determination of water traces in various organic solvents using Karl Fischer method under FIA conditions
N. Dantan, W. Frenzel and S. Küppers (Berlin, Germany) 101
Non-extraction batchwise and FIA determination of cationic and nonionic surfactants using Cu(II)–chromazurol S–surfactant complexes
I. Němcová, V. Tománková and P. Rychlovský (Prague, Czech Republic) 111
The properties of chromatomembrane cells in flow systems coupled to gas chromatography — analysis of volatile organic compounds
C. Bloch, J. Simon (Berlin, Germany), L.N. Moskvin and O.V. Rodinkov (St. Petersburg, Russia). . 123
Development of an automated on-line analysis system using flow injection, ultrasound filtration and CCD detection
R.Y. Wang, J.A. Jarratt, P.J. Keay (Luton, UK), J.J. Hawkes and W.T. Coakley (Cardiff, UK) . . . 129

Determination of antibacterial reagents by liquid chromatography-electrospray-mass spectrometry
M.-R.S. Fuh, S.-A. Chan, H.-L. Wang and C.-Y. Lin (Taipei, Taiwan, ROC) 141
New spectrophotometer equipped with long light path length cells and two channel FIA for trace metals
T. Sakai (Toyota, Japan), A. Yanagisawa, K. Higuchi (Tokyo, Japan), N. Teshima (Toyota, Japan) and N. Ura (Tokyo, Japan) 153
Flow injection determination of iron by its catalytic effect on the oxidation of 3,3′,5,5′-tetramethylbenzidine by hydrogen peroxide
A. Tsuji (Tsukuba, Japan), N. Teshima (Toyota, Japan), M. Kurihara (Tsukuba, Japan), S. Nakano (Tottori, Japan) and T. Kawashima (Tsukuba, Japan) 161
Determination of cysteine in human plasma by high-performance liquid chromatography and ultraviolet detection after pre-column derivatization with 2-chloro-1-methylpyridinium iodide
G. Chwatko and E. Bald (Łódź, Poland) 509
Simultaneous determination of propacetamol and paracetamol by derivative spectrophotometry
V. Rodenas, M.S. García, C. Sánchez-Pedreño and M.I. Albero (Murcia, Spain) 517
Analytical studies of *Spodoptera littoralis* sex pheromone components by electroantennography and coupled gas chromatography–electroantennographic detection
E.A. Malo (Tapachula, Mexico), M. Renou (Versailles, France) and A. Guerrero (Barcelona, Spain) 525
Application of an ion-selective field effect transistor with a photocured polymer membrane in nephrology for determination of potassium ions in dialysis solutions and in blood plasma
N. Abramova (Barcelona, Spain), Y. Borisov (St Petersburg, Russia), A. Bratov (Barcelona, Spain), P. Gavrilenko (St Petersburg, Russia), C. Domínguez (Barcelona, Spain), V. Spiridonov and E. Suglobova (St Petersburg, Russia) 533
Extraction spectrophotometric determination of vanadium in natural waters and aluminium alloys using pyridyl azo resorcinol (PAR) and iodo-nitro-tetrazolium chloride (INT)
K. Gavazov, Z. Simeonova and A. Alexandrov (Plovdiv, Bulgaria) 539
Selectivity assessment of a sequential extraction procedure for metal mobility characterization using model phases
J.L. Gómez Ariza, I. Giráldez, D. Sánchez-Rodas and E. Morales (Huelva, Spain) 545

Short communication
The catenation and isomerisation effects on stability constants of complexes formed by some diprotic acids
D. Janecki, K. Styszko-Grochowiak and T. Michałowski (Kraków, Poland) 555

Book reviews 563

Calendar of forthcoming meetings N11

No. 4 **July 2000**

Review
Element speciation analysis by capillary electrophoresis
A.R. Timerbaev (Moscow, Russia) 573

Regular papers
Analysis of aesculin and aesculotin in *Cortex fraxini* by capillary zone electrophoresis
H. Zhang, Q. Li (Lanzhou, PR China), Z. Shi (Baoding, PR China), Z. Hu and R. Wang (Lanzhou, PR China). 607
Simultaneous flow-injection measurement of hydroxide, chloride, hypochlorite and chlorate in Chlor–alkali cell effluents
K. Tian and P.K. Dasgupta (Lubbock, TX, USA) 623
Preconcentration and flame atomic absorption spectrometry determination of cadmium in mussels by an on-line continuous precipitation–dissolution flow system
M.C. Yebra, M.F. Enríquez and R.M. Cespón (Santiago de Compostela, Spain) 631
Solid phase extraction and determination of lead in soil and water samples using octadecyl silica membrane disks modified by bis[1-hydroxy-9,10-anthraquinone-2-methyl]sulfide and flame atomic absorption spectrometry
M. Shamsipur (Kermanshah, Iran), F. Raoufi (Tehran, Iran) and H. Sharghi (Shiraz, Iran) 637

Flame atomic emission determination of rubidium in mineral and well waters using methane–air flame as excitation source
L. Kékedy-Nagy and E.A. Cordoş (Cluj-Napoca, Romania) 645
Atomic fluorescence spectrometric determination of trace amounts of arsenic and antimony in drinking water by continuous hydride generation
F. El-Hadri, A. Morales-Rubio and M. de la Guardia (Valencia, Spain) 653
Enzyme–octadecylamine Langmuir–Blodgett membranes for ENFET biosensors
K. Wan (Ecully, France), J.M. Chovelon (Villeurbanne, France) and N. Jaffrezic-Renault (Ecully, France) 663
Preconcentration speciation method for mercury compounds in water samples using solid phase extraction followed by reversed phase high performance liquid chromatography
D.M. Sánchez, R. Martín, R. Morante, J. Marín and M.L. Munuera (Madrid, Spain) 671
Biosensor based on paraffin/graphite modified with sweet potato tissue for the determination of hydroquinone in cosmetic cream in organic phase
I. Cruz Vieira and O. Fatibello-Filho (São Carlos, Brazil). 681
Silver(I) ion selective PVC membrane based on bis-pyridine tetramide macrocycle
R.K. Mahajan and O. Parkash (Amritsar, India) 691
Separation of divalent transition metal β-diketonates and their adducts by supercritical fluid chromatography
Y. Lin, H. Wu (Richland, WA, USA), C.M. Wai (Moscow, ID, USA) and N.G. Smart (Preston, UK) 695
Analysis of thermal decomposition products arising from polyvinyl chloride analogs by supersonic jet/multiphoton ionization/mass spectrometry
T. Urabe and T. Imasaka (Fukuoka, Japan) 703
On the sampling variance of ultra-dilute solutions
C.E. Efstathiou (Athens, Greece) 711
Spectrophotometric determination of carbaryl by on-line elution after its preconcentration onto polyurethane foam
R. Jorgensen Cassella (Niteroi/RJ, Brazil), S. Garrigues (Valencia, Spain), R.E. Santelli (Niteroi/RJ, Brazil) and M. de la Guardia (Valencia, Spain). 717
On the improvement of solid-phase extraction room-temperature phosphorimetry for the analysis of polycyclic aromatic hydrocarbons in water samples
E.D. Hagestuen, A.F. Arruda and A.D. Campiglia (Fargo, ND, USA) 727
Kinetic study and analytical applications of micellar catalyzed reactions of 1-fluoro-2,4-dinitrobenzene with inorganic thioanions using a fluoride-selective electrode
A.M. Gerakis, M.A. Koupparis and T.P. Hadjiioannou (Athens, Greece). 739

Short communications
Atomic absorption spectrometric determination of calcium and other metallic elements in some animal protein sources
A.P. Udoh (Uyo Akwa Ibom State, Nigeria) 749
Determination of Na_2O from sodium aluminate $NaAlO_2$
T. Näykki, A. Raimo, P. Paavo, K. Antero and N. Päivi (Oulu, Finland) 755

Book reviews 761

Calendar of forthcoming meetings N15

No. 5 **August 2000**

Review
Analytical strategies for the detection of sulfide: a review
N.S. Lawrence, J. Davis and R.G. Compton (Oxford, UK). 771

Regular papers
Reaction mechanism of *N*-benzoyl-*N*-phenylhydroxylamine with vanadium(IV) in the weakly acidic medium
Z. Nan (Shanghai, People's Republic of China). 785

Development of biosensors based on hexacyanoferrates
I.L. de Mattos (Moscow, Russia), L. Gorton, T. Laurell (Lund, Sweden), A. Malinauskas (Vilnius, Lithuania) and A.A. Karyakin (Moscow, Russia). 791
Sol-gel materials for the solid phase extraction of metals from aqueous solution
J. Seneviratne and J.A. Cox (Oxford, OH, USA). 801
In vivo monitoring of the monoamine neurotransmitters in the rat brain by microdialysis coupled with the liquid chromatography dual electrochemical detector
J. Lu, S. Zhang, A. Wang, W. Zhang and L. Jin (Shanghai, PR China) 807
Investigation of properties of copper, ferrous complexes with 1-(5-bromo-2-pyridylazo)-2-naphthol-6-sulphonic acid and application of substitution reaction in metallic complex to selective determination of trace amounts of metal
H.-W. Gao (Hefei, PR China). 817
Development of a fluoroimmunosensor for theophylline using immobilised antibody
R.M. Garcinuño, P. Fernández, C. Pérez-Conde, A.M. Gutiérrez and C. Cámara (Madrid, Spain) . . 825
Determination of mercury, selenium, bismuth, arsenic and antimony in human hair by microwave digestion atomic fluorescence spectrometry
L. Rahman (London, UK), W.T. Corns, D.W. Bryce and P.B. Stockwell (Orpington, UK) 833
Determination of ciprofloxacin in human urine and serum samples by solid-phase spectrofluorimetry
A. Navalón, O. Ballesteros, R. Blanc and J.L. Vílchez (Granada, Spain) 845
The effects of adsorption of solutes on glassware and teflon in the calculation of partition coefficients for solid-phase microextraction with 1PS paper
A.H. Ackerman and R.J. Hurtubise (Laramie, WY, USA) 853
Calculation of stoichiometric dissociation constants of monoprotic carboxylic acids in dilute aqueous sodium or potassium chloride solutions and p[$m(H^+)$] values for acetate and formate buffers at 25°C
J.I. Partanen (Lappeenranta, Finland) 863
Radiosensitivity study of cefazolin sodium
A.-S. Crucq, C. Slegers, V. Deridder and B. Tilquin (Bruxelles, Belgium). 873
Portable fiber-optic immunosensor for detection of methsulfuron methyl
W.-L. Xing (Tianjin, People's Republic of China), L.-R. Ma, Z.-H. Jiang (Beijing, People's Republic of China), F.-H. Cao (Tianjin, People's Republic of China) and M.-H. Jia (Beijing, People's Republic of China). 879
Conductometric determination of carbon in uranium carbide and its solution in nitric acid
M.K. Ahmed, R. Geetha, N.K. Pandey, S. Murugesan, S.B. Koganti, B. Saha, P. Sahoo and M.K. Sundararajan (Tamil Nadu, India) 885
Micellar colorimetric determination of iron, cobalt, nickel and copper using 1-nitroso-2-naphthol
J. Yun and H. Choi (Suwon, South Korea) 893
A long path length spectroelectrochemical behavior analysis of the coabsorption system
J. Zhang, A. Zhou, Q. Xie and W. Wei (Changsha, People's Republic of China) 903
Simultaneous spectrophotometric-multivariate calibration determination of several components of ophthalmic solutions: phenylephrine, chloramphenicol, antipyrine, methylparaben and thimerosal
M.S. Collado, V.E. Mantovani, H.C. Goicoechea (Santa Fe, Argentina) and A.C. Olivieri (Rosario, Argentina) 909
Characterization of IgG Langmuir–Blodgett films immobilized on functionalized polymers
C. Preininger (Pisa, Italy), H. Clausen-Schaumann (Munich, Germany), A. Ahluwalia and D. de Rossi (Pisa, Italy). 921
Thermodynamic dissociation constants of isocaine, physostigmine and pilocarpine by regression analysis of potentiometric data
M. Meloun and P. Černohorský (Pardubice, Czech Republic) 931

Short communication
Orotic acid: a milk constituent: Enzymatic determination by means of a new microcalorimetric method
G. Anastasi, M.L. Antonelli, A. Biondi and G. Vinci (Rome, Italy). 947

Book reviews 953

Calendar of forthcoming meetings N19

No. 6 **September 2000**

Review

The role of manganese(IV) compounds as oxidants — a review
T.J. Pastor and F.T. Pastor (Belgrade, Yugoslavia) 959

Regular papers

Preparation of ultra-pure water and acids and investigation of background of an ICP-MS laboratory
H. Yuan, S. Hu, J. Tong, L. Zhao, S. Lin and S. Gao (Wuhan, People's Republic of China) 971

Simultaneous determination of trace uranium(VI) and zinc(II) by adsorptive cathodic stripping voltammetry with aluminon ligand
K.-W. Cha, C.-I. Park and S.-H. Park (Inchon, South Korea) 983

Use of *p*-dimethylaminobenzalhyde as a colored reagent for determination of procaine hydrochloride by spectrophotometry
L.D. Liu, Y. Liu, H.Y. Wang, Y. Sun, L. Ma and B. Tang (Jinan, People's Republic of China) . . . 991

Separation and determination of alantolactone and isoalantolactone in traditional Chinese herbs by capillary electrophoresis
W. Ketai, L. Huitao, Z. Yunkun, C. Xingguo, H. Zhide, S. Yucheng and M. Xiao (Lanzhou, People's Republic of China) 1001

Evaluation of electrochemical hydride generation for spectrophotometric determination of As(III) by silver diethyldithiocarbamate
M.H. Arbab-Zavar and M. Hashemi (Mashhad, Iran) 1007

Sequential determination of Se(IV) and Se(VI) by flow injection-hydride generation-atomic absorption spectrometry with HCl/HBr microwave aided pre-reduction of Se(VI) to Se(IV)
M. Gallignani, M. Valero, M.R. Brunetto, J.L. Burguera, M. Burguera and Y. Petit de Peña (Mérida, Venezuela) 1015

Donnan dialysis preconcentration coupled with ion chromatography and electrocatalytic oxidation for the determination of cyanide
J. Seneviratne, S.D. Holmstrom and J.A. Cox (Oxford, OH, USA) 1025

Development of a fluorescent optode membrane for sodium ion based on the calix[4]arene and tetraphenylporphine
X. Yang, K. Wang, D. Xiao, C. Guo and Y. Xu (Changsha, P.R. China) 1033

Determination of trace metal ions by AAS in natural water samples after preconcentration of pyrocatechol violet complexes on an activated carbon column
İ. Narin (Niğde, Turkey), M. Soylak, L. Elçi (Kayseri, Turkey) and M. Doğan (Ankara, Turkey) . . 1041

Voltammetric determination of volatile free sulfide and alkylthiols as contaminants in parenteral amino acid solutions
P.C. do Nascimento, D. Bohrer, A. Ramirez, M.G. Trevisan, J. Tramontina and A.L.B. Rohlfes (Santa Maria, Brazil) 1047

Extraction and spectrophotometric determination of trace amount of Pd(II) with 2,2′-dithiodianiline
M.B. Gholivand and N. Nozari (Kermanshah, Iran) 1055

Slurry nebulization ICP-AES spectrometry method for the determination of tin in organotin(IV) complexes
G. Galbács, A. Szorcsik, Z. Galbács, N. Buzás (Dóm tér, Hungary) and T. Haraszti (Aradi vértanúk tere, Hungary) 1061

Resolution of mixtures of three nonsteroidal anti-inflammatory drugs by fluorescence using partial least squares multivariate calibration with previous wavelength selection by Kohonen artificial neural networks
L.F. Capitán-Vallvey, N. Navas, M. del Olmo (Granada, Spain), V. Consonni and R. Todeschini (Milan, Italy) 1069

Oxidation at a sol–gel composite electrode doped with a dirhodium-substituted polyoxometalate for amperometric detection of peptides separated by HPLC
J.A. Cox, S.D. Holmstrom and M.E. Tess (Oxford, OH, USA) 1081

Effect of concentration of ion exchanger, plasticizer and molecular weight of cyanocopolymers on selectivity and sensitivity of Cd(II) ion selective electrode
K.C. Gupta and M. Jeanne D'Arc (Roorkee, India) 1087

Effect of temperature on DNA fractionation in slalom chromatography
E. Peyrin (La Tronche, France), Y.C. Guillaume (Besançon, France), C. Garrel, A. Ravel, A. Villet, C. Grosset, J. Alary and A. Favier (La Tronche, France) 1105
Metal speciation by coupled in situ graphite furnace electrodeposition and electrothermal atomic absorption spectrometry
J.P. Matousek (Sydney, Australia), S.D. Money and K.J. Powell (Christchurch, New Zealand) 1111
Flow injection determination of iodide ion in a photographic developing solution using iodide ion-selective electrode detector
T. Masadome, R. Sonoda and Y. Asano (Fukuoka, Japan) 1123
Rapid dissolution of metal in aqueous media using a modified commercial spark source unit
D.M. Goltz, G. Kostic and G. Reinfelds (Winnipeg, MB, USA) 1131
Differential electrolytic potentiometry, a detector in flow injection analysis for oxidation–reduction reactions
A.M.S. Abulkibash, M.E. Koken, M.M. Khaled and S.M. Sultan (Dhahran, Saudi Arabia) 1139
Selective transport of cesium ion in polymeric CTA membrane containing calixcrown ethers
J.S. Kim (Chungnam, South Korea), S.K. Kim, J.W. Ko, E.T. Kim, S.H. Yu, M.H. Cho (Chuncheon, South Korea), S.G. Kwon and E.H. Lee (Taejon, South Korea) 1143
Spectrofluorimetric determination of levofloxacin in tablets, human urine and serum
J.A. Ocaña González, M. Callejón Mochón and F.J. Barragán de la Rosa (Seville, Spain) 1149
The ion adsorption effect on selectivity of liquid state, *O,O'*-didecylodithiophosphate chelate based ion-selective electrodes
K. Ren (Poznań, Poland) 1157

Letter to the Editor
Complex samples: how well do we understand their complexity?
A.R. Timerbaev and O.M. Petrukhin (Moscow, Russia) 1171

Book reviews 1175

Volume contents 1181
Author index 1191
Subject index 1195
Calendar of forthcoming meetings N23